


Angle Equal



ALLOY: 6060 TEMPER: T5 FINISH: Mill

STOCK CODE	DESCRIPTION W x W x T	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
					V	N	Q
AE1216	12.0 x 12.0 x 1.6	6.5	0.1	100	●	●	●
AE123	12.0 x 12.0 x 3.0	6.5	0.17	100	●	●	●
AE1516	15.0 x 15.0 x 1.6	6.5	0.12	100	●	●	●
AE163	16.0 x 16.0 x 3.0	6.5	0.24	100	●	●	●
AE2016	20.0 x 20.0 x 1.6	6.5	0.17	100	●	●	●
AE203	20.0 x 20.0 x 3.0	6.5	0.3	100	●	●	●
AE2516	25.0 x 25.0 x 1.6	6.5	0.21	100	●	●	●
AE253	25.0 x 25.0 x 3.0	6.5	0.38	100	●	●	●
AE256	25.0 x 25.0 x 6.0	6.5	0.71	100	●	●	●
AE3216	32.0 x 32.0 x 1.6	6.5	0.27	128	●	●	●
AE323	32.0 x 32.0 x 3.0	6.5	0.49	128	●	●	●
AE4016	40.0 x 40.0 x 1.6	6.5	0.34	160	●	●	●
AE403	40.0 x 40.0 x 3.0	6.5	0.62	160	●	●	●
AE404	40.0 x 40.0 x 4.0	6.5	0.82	160	●	●	●
AE406	40.0 x 40.0 x 6.0	6.5	1.2	160	●	●	●
AE5016	50.0 x 50.0 x 1.6	6.5	0.43	200	●	●	●
AE503	50.0 x 50.0 x 3.0	6.5	0.79	200	●	●	●
AE504	50.0 x 50.0 x 4.0	6.5	1.04	200	●	●	●
AE506	50.0 x 50.0 x 6.0	6.5	1.52	200	●	●	●
AE603	60.0 x 60.0 x 3.0	6.5	0.95	240	●	●	●
AE606	60.0 x 60.0 x 6.0	6.5	1.85	240	●	●	●
AE763	76.2 x 76.2 x 3.0	6.5	1.28	304	●	●	●
AE806	80.0 x 80.0 x 6.0	6.5	2.5	320	●	●	●
AE8010	80.0 x 80.0 x 10.0	6.5	4.05	320	●	●	●
AE1003	100.0 x 100.0 x 3.0	6.5	1.601	400			●
AE1006	100.0 x 100.0 x 6.0	6.5	3.15	400	●	●	●
AE10010	100.0 x 100.0 x 10.0	6.5	5.13	400		●	●

Angle Equal Structural


ALLOY: 6061 TEMPER: T6 FINISH: Mill

STOCK CODE	DESCRIPTION W x W x T	INSIDE RADIUS	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
						V	N	Q
AES384	38.1 x 38.1 x 4.75	5.33	5.5	0.93	152	●	●	●
AES506	50.8 x 50.8 x 6.35	6.1	5.5	1.65	200	●	●	●
AES636	63.5 x 63.5 x 6.35	6.86	5.5	2.1	251	●	●	●
AES766	76.2 x 76.2 x 6.35	7.62	5.5	2.54	301	●	●	●
AES769	76.2 x 76.2 x 9.52	7	5.5	3.72	301	●	●	●
AES8010	80.0 x 80.0 x 10.0	6	5.5	4.09	317	●	●	●
AES1016	101.6 x 101.6 x 6.35	9.14	5.5	3.42	400	●	●	●

Other sizes and variations may be available – contact your nearest branch for assistance.



Angle Unequal



ALLOY: 6060 TEMPER: T5 FINISH: Mill

STOCK CODE	DESCRIPTION W x W x T	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
					V	N	Q
AU201216	20.0 x 12.0 x 1.6	6.5	0.13	100	●	●	●
AU20123	20.0 x 12.0 x 3.0	6.5	0.235	100	●	●	●
AU251216	25.0 x 12.0 x 1.6	6.5	0.15	100	●	●	●
AU25123	25.0 x 12.0 x 3.0	6.5	0.28	100	●	●	●
AU252016	25.0 x 20.0 x 1.6	6.5	0.19	100	●	●	●
AU25203	25.0 x 20.0 x 3.0	6.5	0.34	100	●	●	●
AU322016	32.0 x 20.0 x 1.6	6.5	0.22	100	●	●	●
AU32203	32.0 x 20.0 x 3.0	6.5	0.397	103		●	●
AU32253	32.0 x 25.0 x 3.0	6.5	0.44	114	●	●	●
AU401216	40.0 x 12.0 x 1.6	6.5	0.21	104	●	●	●
AU40123	40.0 x 12.0 x 3.0	6.5	0.4	104	●	●	●
AU402016	40.0 x 20.0 x 1.6	6.5	0.25	120	●	●	●
AU40203	40.0 x 20.0 x 3.0	6.5	0.46	120	●	●	●
AU402516	40.0 x 25.0 x 1.6	6.5	0.27	130	●	●	●
AU40253	40.0 x 25.0 x 3.0	6.5	0.5	130	●	●	●
AU50123	50.0 x 12.0 x 3.0	6.5	0.48	124	●	●	●
AU50203	50.0 x 20.0 x 3.0	6.5	0.54	147		●	●
AU502516	50.0 x 25.0 x 1.6	6.5	0.32	150	●	●	●
AU50253	50.0 x 25.0 x 3.0	6.5	0.59	150	●	●	●
AU504016	50.0 x 40.0 x 1.6	6.5	0.383	180			●
AU50403	50.0 x 40.0 x 3.0	6.5	0.71	180	●	●	●
AU60253	60.0 x 25.0 x 3.0	6.5	0.66	170	●	●	●
AU702516	70.0 x 25.0 x 1.6	6.5	0.4	190	●	●	●
AU704016	70.0 x 40.0 x 1.6	6.5	0.44	220	●	●	●
AU80203	80.0 x 20.0 x 3.0	6.5	0.79	199	●	●	●
AU805025	80.0 x 50.0 x 2.5	6.5	0.863	260			●
AU904016	90.0 x 40.0 x 1.6	6.5	0.56	260	●	●	●
AU100503	100.0 x 50.0 x 3.0	6.5	1.195	300	●	●	●
AU100506	100.0 x 50.0 x 6.0	6.5	2.341	301		●	●
AU125503	125.0 x 50.0 x 3.0	6.5	1.4	350	●	●	●
AU200503	200.0 x 50.0 x 3.0	6.5	2.008	500	●	●	●

Angle Unequal Structural

ALLOY: 6061 TEMPER: T6 FINISH: Mill

STOCK CODE	DESCRIPTION W x W x T	INSIDE RADIUS	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
						V	N	Q
AUS76506	76.2 x 50.8 x 6.35	6.86	5.5	2.1	254	●	●	●
AUS101506	101.6 x 50.8 x 6.35	8.13	5.5	2.5	301	●	●	●

Angle Unequal Surf Mist


ALLOY: 6060 TEMPER: T5 FINISH: Surf Mist

STOCK CODE	DESCRIPTION W x W x T	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
					V	N	Q
AUSM502516	50.0 x 25.0 x 1.6	6.5	0.32	150	●	●	●
AUSM704016	70.0 x 40.0 x 1.6	6.5	0.44	220	●	●	●
AUSM904016	90.0 x 40.0 x 1.6	6.5	0.56	260	●	●	●

Other sizes and variations may be available – contact your nearest branch for assistance.



Angle Unequal



ALLOY: 6060 TEMPER: T5 FINISH: Clear Anodised

STOCK CODE	DESCRIPTION W x W x T	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
					V	N	Q
AUC201216	20.0 x 12.0 x 1.6	6.5	0.13	100	●	●	●
AUC20123	20.0 x 12.0 x 3.0	6.5	0.235	100	●	●	●
AUC251216	25.0 x 12.0 x 1.6	6.5	0.15	100	●	●	●
AUC25123	25.0 x 12.0 x 3.0	6.5	0.28	100	●	●	●
AUC252016	25.0 x 20.0 x 1.6	6.5	0.19	100	●	●	●
AUC322016	32.0 x 20.0 x 1.6	6.5	0.22	100	●	●	●
AUC32253	32.0 x 25.0 x 3.0	6.5	0.44	114	●	●	●
AUC401216	40.0 x 12.0 x 1.6	6.5	0.21	104	●	●	●
AUC402016	40.0 x 20.0 x 1.6	6.5	0.25	120	●	●	●
AUC40203	40.0 x 20.0 x 3.0	6.5	0.46	120	●	●	●
AUC402516	40.0 x 25.0 x 1.6	6.5	0.27	130	●	●	●
AUC40253	40.0 x 25.0 x 3.0	6.5	0.5	130	●	●	●
AUC502516	50.0 x 25.0 x 1.6	6.5	0.32	150	●	●	●
AUC50253	50.0 x 25.0 x 3.0	6.5	0.59	150	●	●	●
AUC702516	70.0 x 25.0 x 1.6	6.5	0.4	190	●	●	●
AUC704016	70.0 x 40.0 x 1.6	6.5	0.44	220	●	●	●
AUC80203	80.0 x 20.0 x 3.0	6.5	.79	199	●	●	●
AUC125503	125.0 x 50.0 x 3.0	6.5	1.4	350	●	●	●

Angle Equal

ALLOY: 6060 TEMPER: T5 FINISH: Clear Anodised

STOCK CODE	DESCRIPTION W x W x T	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
					V	N	Q
AEC1216	12.0 x 12.0 x 1.6	6.5	0.1	100	●	●	●
AEC123	12.0 x 12.0 x 3.0	6.5	0.17	100	●	●	●
AEC1516	15.0 x 15.0 x 1.6	6.5	0.12	100	●	●	●
AEC163	16.0 x 16.0 x 3.0	6.5	0.24	100	●	●	●
AEC2016	20.0 x 20.0 x 1.6	6.5	0.17	100	●	●	●
AEC203	20.0 x 20.0 x 3.0	6.5	0.3	100	●	●	●
AEC2516	25.0 x 25.0 x 1.6	6.5	0.21	100	●	●	●
AEC253	25.0 x 25.0 x 3.0	6.5	0.38	100	●	●	●
AEC3216	32.0 x 32.0 x 1.6	6.5	0.27	128	●	●	●
AEC323	32.0 x 32.0 x 3.0	6.5	0.49	128	●	●	●
AEC4016	40.0 x 40.0 x 1.6	6.5	0.34	160	●	●	●
AEC403	40.0 x 40.0 x 3.0	6.5	0.62	160	●	●	●
AEC5016	50.0 x 50.0 x 1.6	6.5	0.43	200	●	●	●
AEC503	50.0 x 50.0 x 3.0	6.5	0.79	200	●	●	●

ALLOY: 6060 TEMPER: T5 FINISH: Surf Mist

STOCK CODE	DESCRIPTION W x W x T	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
					V	N	Q
AESM2516	25.0 x 25.0 x 1.6	6.5	0.21	100	●	●	●
AESM4016	40.0 x 40.0 x 1.6	6.5	0.34	160	●	●	●
AESM5016	50.0 x 50.0 x 1.6	6.5	0.43	200	●	●	●
AESM503	50.0 x 50.0 x 3.0	6.5	0.79	200	●	●	●

Other sizes and variations may be available – contact your nearest branch for assistance.

