


Channel Equal



ALLOY: 6060 TEMPER: T5 FINISH: Mill

STOCK CODE	DESCRIPTION W x H x T	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
					V	N	Q
CE1016	10.0 x 10.0 x 1.6	6.5	0.12	100	●	●	●
CE1216	12.0 x 12.0 x 1.6	6.5	0.14	100	●	●	●
CE1616	16.0 x 16.0 x 1.6	6.5	0.2	100	●	●	●
CE163	16.0 x 16.0 x 3.0	6.5	0.34	100	●	●	●
CE2016	20.0 x 20.0 x 1.6	6.5	0.25	114	●	●	●
CE203	20.0 x 20.0 x 3.0	6.5	0.44	114	●	●	●
CE2516	25.0 x 25.0 x 1.6	6.5	0.31	146	●	●	●
CE253	25.0 x 25.0 x 3.0	6.5	0.56	144	●	●	●
CE403	40.0 x 40.0 x 3.0	6.5	0.92	234	●	●	●
CE503	50.0 x 50.0 x 3.0	6.5	1.17	294	●	●	●

Channel Unequal

ALLOY: 6060 TEMPER: T5 FINISH: Mill

STOCK CODE	DESCRIPTION W x H x T	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
					V	N	Q
CU122025	12.0 x 20.0 x 2.5	6.5	0.32	100	●	●	●
CU201616	20.0 x 16.0 x 1.6	6.5	0.21	100	●	●	●
CU25123	25.0 x 12.0 x 3.0	6.5	0.35	100	●	●	●
CU252025	25.0 x 20.0 x 2.5	6.5	0.41	130	●	●	●
CU25403	25.0 x 40.0 x 3.0	6.5	0.8	204	●	●	●
CU32253	32.0 x 25.0 x 3.0	6.5	0.62	158	●	●	●
CU40203	40.0 x 20.0 x 3.0	6.5	0.6	170	●	●	●
CU40253	40.0 x 25.0 x 3.0	6.5	0.68	174	●	●	●
CU50253	50.0 x 25.0 x 3.0	6.5	0.76	194	●	●	●
CU60323	60.0 x 32.0 x 3.0	6.5	0.96	242	●	●	●
CU80253	80.0 x 25.0 x 3.0	6.5	1.01	254	●	●	●
CU80403	80.0 x 40.0 x 3.0	6.5	1.25	312	●	●	●
CU80404	80.0 x 40.0 x 4.0	6.5	1.65	312	●	●	●
CU100253	100.0 x 25.0 x 3.0	6.5	1.17	294	●	●	●
CU100403	100.0 x 40.0 x 3.0	6.5	1.41	354	●	●	●
CU100503	100.0 x 50.0 x 3.0	6.5	1.57	394	●	●	●

Channel Unequal Structural


ALLOY: 6061 TEMPER: T6 FINISH: Mill

STOCK CODE	DESCRIPTION W x H x T	INSIDE RADIUS	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
						V	N	Q
CUS76387	76.2 x 38.1 x 7.92	7.62	5.5	2.73	285	●	●	●
CUS101507	101.6 x 50.8 x 7.92	9.14	5.5	3.709	385	●	●	●
CUS127639	127.0 x 63.5 x 9.52	10.66	5.5	5.26	486	●	●	●
CUS152637	152.4 x 63.5 x 7.92	10.67	5.5	5.2	536	●	●	●
CUS1777611	177.8 x 76.2 x 11.10	12.2	5.5	7.42	637	●	●	●

Other sizes and variations may be available – contact your nearest branch for assistance.



Channel Equal



ALLOY: 6060 TEMPER: T5 FINISH: Clear Anodised

STOCK CODE	DESCRIPTION W x H x T	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
					V	N	Q
CEC1016	10.0 x 10.0 x 1.6	6.5	0.12	100	●	●	
CEC1216	12.0 x 12.0 x 1.6	6.5	0.14	100	●	●	
CEC1616	16.0 x 16.0 x 1.6	6.5	0.2	100	●	●	
CEC163	16.0 x 16.0 x 3.0	6.5	0.34	100	●	●	
CEC2016	20.0 x 20.0 x 1.6	6.5	0.25	114	●	●	
CEC203	20.0 x 20.0 x 3.0	6.5	0.44	114	●	●	
CEC2516	25.0 x 25.0 x 1.6	6.5	0.31	146	●	●	
CEC253	25.0 x 25.0 x 3.0	6.5	0.56	144	●	●	
CEC403	40.0 x 40.0 x 3.0	6.5	0.92	234	●	●	
CEC503	50.0 x 50.0 x 3.0	6.5	1.17	294	●	●	

Channel Unequal

ALLOY: 6060 TEMPER: T5 FINISH: Clear Anodised

STOCK CODE	DESCRIPTION W x H x T	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
					V	N	Q
CUC122025	12.0 x 20.0 x 2.5	6.5	0.32	100	●	●	
CUC201616	20.0 x 16.0 x 1.6	6.5	0.21	100	●	●	
CUC25123	25.0 x 12.0 x 3.0	6.5	0.35	100	●	●	
CUC25403	25.0 x 40.0 x 3.0	6.5	0.8	204	●	●	
CUC32253	32.0 x 25.0 x 3.0	6.5	0.62	158	●	●	
CUC40253	40.0 x 25.0 x 3.0	6.5	0.68	174	●	●	
CUC50253	50.0 x 25.0 x 3.0	6.5	0.76	194	●	●	

Glazing Channels

ALLOY: 6060 TEMPER: T5 FINISH: Clear Anodised

STOCK CODE	DESCRIPTION W x H x T	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
					V	N	Q
GCEC323	32.0 x 32.0 x 3.0	6.5	0.746	190	●		
GCUC32453	32.0 x 45.0 x 3.0	6.5	0.958	243	●		

Other sizes and variations may be available – contact your nearest branch for assistance.

