

# Flat Bar



FINISH: Mill

STOCK CODE	DESCRIPTION T x W (MM)	ALLOY	TEMPER	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
							V	N	Q
FL1.620	1.6 x 20.0	6060	T5	4	0.09	100	●	●	●
FL1.625	1.6 x 25.0	6060	T5	4	0.11	100	●	●	●
SK8016	1.6 x 80.0	6060	T5	3.6	0.35	163	●	●	●
SK10016	1.6 x 100.0	6060	T5	3.6	0.43	203	●	●	●
SK10016IF (INFILL)	1.6 x 100.0	6060	T5	3.6	0.452	100			●
SK15016	1.6 x 150.0	6060	T5	3.6	0.65	303	●	●	●
FL310	3.0 x 10.0	6060	T5	4	0.08	100	●	●	●
FL312	3.0 x 12.0	6060	T5	4	0.1	100	●	●	●
FL316	3.0 x 16.0	6060	T5	4	0.13	100	●	●	●
FL320	3.0 x 20.0	6060	T5	4	0.16	100	●	●	●
FL325	3.0 x 25.0	6060	T5	4	0.2	100	●	●	●
FL332	3.0 x 32.0	6060	T5	4	0.26	100	●	●	●
FL340	3.0 x 40.0	6060	T5	4	0.33	100	●	●	●
FL350	3.0 x 50.0	6060	T5	4	0.41	106	●	●	●
FL360	3.0 x 60.0	6060	T5	4	0.49	126	●	●	●
FL380	3.0 x 80.0	6060	T5	4	0.65	166	●	●	●
FL3100	3.0 x 100.0	6060	T5	4	0.81	206	●	●	●
FL412	4.0 x 12.0	6060	T5	4	0.13	100	●	●	●
FL420	4.0 x 20.0	6060	T5	4	0.22	100	●	●	●
FL425	4.0 x 25.0	6060	T5	4	0.27	100	●	●	●
FL440	4.0 x 40.0	6060	T5	4	0.43	100	●	●	●
FL450	4.0 x 50.0	6060	T5	4	0.54	108	●	●	●
FL480	4.0 x 80.0	6060	T5	4	0.87	168	●	●	●
FL4100	4.0 x 100.0	6060	T5	4	1.08	204	●	●	●
FL4160	4.0 x 160.0	6060	T5	4	1.73	328	●	●	●
FL612	6.0 x 12.0	6060	T5	4	0.2	100	●	●	●
FL620	6.0 x 20.0	6060	T5	4	0.33	100	●	●	●
FL625	6.0 x 25.0	6060	T5	4	0.41	100	●	●	●
FL632	6.0 x 32.0	6060	T5	4	0.52	100	●	●	●
FL640	6.0 x 40.0	6060	T5	4	0.65	100	●	●	●
FL650	6.0 x 50.0	6060	T5	4	0.81	112	●	●	●
FLR506 (RADIUS 3.18mm)	6.0 x 50.0	6060	T5	4	0.85	106	●	●	
FL660	6.0 x 60.0	6060	T5	4	0.97	132	●	●	●
FL680	6.0 x 80.0	6060	T5	4	1.3	172	●	●	●
FL6100	6.0 x 100.0	6060	T5	4	1.63	212	●	●	●
FLS6100	6.0 x 100.0	6061	T6	4	1.63	212			●
FLS6150	6.0 x 150.0	6061	T6	4	2.439	312			●
FL6160	6.0 x 160.0	6060	T5	4	2.6	332	●	●	●
FL1012	10.0 x 12.0	6060	T5	4	0.33	100	●	●	●
FL1020	10.0 x 20.0	6060	T5	4	0.55	100	●	●	●

Other sizes and variations may be available – contact your nearest branch for assistance.



# Flat Bar



FINISH: Mill

STOCK CODE	DESCRIPTION T x W (MM)	ALLOY	TEMPER	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
							V	N	Q
FL1025	10.0 x 25.0	6060	T5	4	0.68	100	●	●	●
FL1032	10.0 x 32.0	6060	T5	4	0.87	100	●	●	●
FL1040	10.0 x 40.0	6060	T5	4	1.08	100	●	●	●
FL1050	10.0 x 50.0	6060	T5	4	1.35	120	●	●	●
FL1060	10.0 x 60.0	6060	T5	4	1.63	140	●	●	●
FL1080	10.0 x 80.0	6060	T5	4	2.17	180	●	●	●
FL10100	10.0 x 100.0	6060	T5	4	2.71	220	●	●	●
FLS10100	10.0 x 100.0	6061	T6	4	2.71	220			●
FL10160	10.0 x 160.0	6060	T5	4	4.33	340	●	●	●
FL1220	12.0 x 20.0	6060	T5	4	0.65	100	●	●	●
FL1225	12.0 x 25.0	6060	T5	4	0.81	100	●	●	●
FL1240	12.0 x 40.0	6060	T5	4	1.3	104	●	●	●
FL1250	12.0 x 50.0	6060	T5	4	1.63	124	●	●	●
FL1260	12.0 x 60.0	6060	T5	4	1.95	144	●	●	●
FL1280	12.0 x 80.0	6060	T5	4	2.6	184	●	●	●
FL12100	12.0 x 100.0	6060	T5	4	3.25	224	●	●	●
FLS12100	12.0 x 100.0	6061	T6	4	3.25	224			●
FL12160	12.0 x 160.0	6060	T5	4	5.2	344	●	●	●
FLS12200	12.0 x 200.0	6061	T6	2	6.5	424			●
FL1640	16.0 x 40.0	6060	T5	4	1.75	112	●	●	●
FL1680	16.0 x 80.0	6060	T5	4	3.47	192	●	●	●
FL2025	20.0 x 25.0	6060	T5	4	1.36	100	●	●	●
FL2040	20.0 x 40.0	6060	T5	4	2.17	120	●	●	●
FL2050	20.0 x 50.0	6060	T5	4	2.71	140	●	●	●
FL2540	25.0 x 40.0	6060	T5	4	2.71	130	●	●	●
FL2550	25.0 x 50.0	6060	T5	4	3.39	250	●	●	●
FL2580	25.0 x 80.0	6060	T5	4	5.41	210	●	●	●
FLS2580	25.0 x 80.0	6061	T6	4	5.41	210			●
FL25100	25.0 x 100.0	6060	T5	4	6.78	250	●	●	●
FL25160	25.0 x 160.0	6060	T5	4	10.83	370	●	●	●
FLS3060	30.0 x 60.0	6061	T6	2.5	4.877	180			●
FLS50100	50.0 x 100.0	6061	T6	2	13.5	300		●	●

Other sizes and variations may be available – contact your nearest branch for assistance.



# Flat Bar



FINISH: Clear Anodised

STOCK CODE	DESCRIPTION T x W (MM)	ALLOY	TEMPER	LENGTH METRE	WEIGHT KG/M	ANOD PER	STATE		
							V	N	Q
FLC1.620	1.6 x 20.0	6060	T5	4	0.09	100	●	●	
FLC1.625	1.6 x 25.0	6060	T5	4	0.11	100	●	●	
SKC8016	1.6 x 80.0	6060	T5	3.6	0.35	163	●	●	
SKC10016	1.6 x 100.0	6060	T5	3.6	0.43	203	●	●	
SKC15016	1.6 x 150.0	6060	T5	3.6	0.65	303	●	●	
FLC310	3.0 x 10.0	6060	T5	4	0.08	100	●	●	
FLC312	3.0 x 12.0	6060	T5	4	0.1	100	●	●	
FLC316	3.0 x 16.0	6060	T5	4	0.13	100	●	●	
FLC320	3.0 x 20.0	6060	T5	4	0.16	100	●	●	
FLC325	3.0 x 25.0	6060	T5	4	0.2	100	●	●	
FLC332	3.0 x 32.0	6060	T5	4	0.26	100	●	●	
FLC340	3.0 x 40.0	6060	T5	4	0.33	100	●	●	
FLC350	3.0 x 50.0	6060	T5	4	0.41	106	●	●	
FLC360	3.0 x 60.0	6060	T5	4	0.49	126	●	●	
FLC380	3.0 x 80.0	6060	T5	4	0.65	166	●	●	
FLC3100	3.0 x 100.0	6060	T5	4	0.81	206	●	●	

Other sizes and variations may be available – contact your nearest branch for assistance.

