

## Treadplate

ALLOY: 5052/5251 TEMPER: 0 FINISH: Mill (5 Bar)

| STOCK CODE | THICKNESS MM | WIDTH x LENGTH MM | SQ.MTR/SHEET | MASS/SQ.M KG | MASS KG PER SHEET | STATE |   |   |
|------------|--------------|-------------------|--------------|--------------|-------------------|-------|---|---|
|            |              |                   |              |              |                   | V     | N | Q |
| TP1.2      | 1.2          | 1200 x 2400       | 2.88         | 3.368        | 9.70              | ●     |   |   |
| TP1.4      | 1.4          | 1200 x 2400       | 2.88         | 4.38         | 12.61             | ●     | ● |   |
| TP1.6      | 1.6          | 1200 x 2400       | 2.88         | 5            | 14.4              | ●     | ● | ● |
| TP1.61530  | 1.6          | 1500 x 3000       | 4.5          | 5            | 22.5              | ●     |   | ● |
| TP2        | 2            | 1200 x 2400       | 2.88         | 6            | 17.28             | ●     | ● | ● |
| TP2.5      | 2.5          | 1200 x 2400       | 2.88         | 7.5          | 21.6              | ●     | ● | ● |
| TP2.51530  | 2.5          | 1500 x 3000       | 4.5          | 7.5          | 33.75             | ●     |   | ● |
| TP3        | 3            | 1200 x 2400       | 2.88         | 8.9          | 25.64             | ●     | ● | ● |
| TP31530    | 3            | 1500 x 3000       | 4.5          | 8.9          | 40.05             | ●     | ● | ● |
| TP5        | 5            | 1200 x 2400       | 2.88         | 14.1         | 40.6              | ●     | ● | ● |
| TP51530    | 5            | 1500 x 3000       | 4.5          | 14.1         | 63.45             | ●     | ● | ● |
| TP6        | 6            | 1200 x 2400       | 2.88         | 18           | 51.84             | ●     | ● | ● |
| TP61530    | 6            | 1500 x 3000       | 4.5          | 18           | 81                | ●     | ● |   |

ALLOY: 5052/5251 TEMPER: 0 FINISH: Black Satin (5 Bar)

| STOCK CODE | THICKNESS MM | WIDTH x LENGTH MM | SQ.MTR/SHEET | MASS/SQ.M KG | MASS KG PER SHEET | STATE |   |   |
|------------|--------------|-------------------|--------------|--------------|-------------------|-------|---|---|
|            |              |                   |              |              |                   | V     | N | Q |
| TPCH1.4    | 1.4          | 1200 x 2400       | 2.88         | 4.38         | 12.61             | ●     |   | ● |

## Propellor Plate

ALLOY: 3003 TEMPER: H22 FINISH: Mill (1 Bar)

| STOCK CODE | THICKNESS MM | WIDTH x LENGTH MM | SQ.MTR/SHEET | MASS/SQ.M KG | MASS KG PER SHEET | STATE |   |   |
|------------|--------------|-------------------|--------------|--------------|-------------------|-------|---|---|
|            |              |                   |              |              |                   | V     | N | Q |
| PP1.4      | 1.4          | 1200 x 2400       | 2.88         | 4.38         | 12.61             | ●     |   |   |
| PP1.6      | 1.6          | 1200 x 2400       | 2.88         | 5            | 14.4              | ●     | ● | ● |
| PP3        | 3            | 1200 x 2400       | 2.88         | 8.9          | 25.64             | ●     | ● | ● |
| PP5        | 5            | 1200 x 2400       | 2.88         | 14.1         | 40.6              | ●     | ● | ● |

## Stucco Embossed

ALLOY: 5005 TEMPER: 34 FINISH: Mill

| STOCK CODE | THICKNESS MM | WIDTH x LENGTH MM | SQ.MTR/SHEET | MASS/SQ.M KG | MASS KG PER SHEET | STATE |   |   |
|------------|--------------|-------------------|--------------|--------------|-------------------|-------|---|---|
|            |              |                   |              |              |                   | V     | N | Q |
| SHS.6      | 0.6          | 1200 x 2400       | 2.88         | 1.63         | 4.68              | ●     | ● | ● |

Other sizes and variations may be available – contact your nearest branch for assistance.

