






















Coolroom

DIAGRAM	ALLOY TEMPER	LENGTH METRE	ANOD PER	MASS KG/M	PRODUCT CODE	PRODUCT FINISH	STATE		
							V	N	Q
	6060 T5	6.5	144	0.33	COARROW	MILL	●	●	●
					COSMARROW	SURFMIST	●	●	●
	6060 T5	6.5	138	0.21	COJOIN5	MILL	●	●	●
					COSMJOIN5	SURFMIST	●	●	●
	6060 T5	6.5	226	0.5	COB5030	MILL	●	●	●
					COSMB5030	SURFMIST	●	●	●
	6060 T5	6.5	302	0.682	COB7636	MILL	●	●	●
					COSMB7636	SURFMIST	●	●	●
	6060 T5	6.5	342	0.77	COB10036	MILL	●	●	●
					COSMB10036	SURFMIST	●	●	●
	6060 T5	6.5	460	1.25	COB15038	MILL	●	●	●
					COSMB15038	SURFMIST	●	●	●
	6060 T5	6.5	153	0.32	COB5424	MILL			●
					COSMB5425	SURFMIST			●
	6060 T5	6.5	160	0.34	AE4016	MILL	●	●	●
					AESM4016	SURFMIST	●	●	●
	6060 T5	6.5	261	0.44	AU704016	MILL	●	●	●
					AUSM704016	SURFMIST	●	●	●
	6060 T5	6.5	263	0.56	AU904016	MILL	●	●	●
					AUSM904016	SURFMIST	●	●	●

Other sizes and variations may be available – contact your nearest branch for assistance.



Coolroom

DIAGRAM	ALLOY TEMPER	LENGTH METRE	ANOD PER	MASS KG/M	PRODUCT CODE	PRODUCT FINISH	STATE		
							V	N	Q
	6060 T5	6.5	276	0.96	COB9225	MILL	●	●	●
					COSMB9225	SURFMIST	●	●	●
	6060 T5	6.5	326	1.17	COB11825	MILL	●	●	●
					COSMB11825	SURFMIST	●	●	●
	6060 T5	6.5	428	1.56	COB16825	MILL	●	●	●
					COSMB16825	SURFMIST	●	●	
	6060 T5	6.5	470	0.87	COCORN50	MILL	●	●	●
					COSMCORN50	SURFMIST	●	●	●
	6060 T5	4.8	560	1.707	COCORN75	MILL	●		
	6060 T5	6.5	118	0.25	COCO35	COCO35	●	●	
					COSMCOV35	COSMCOV35	●	●	●
				0.233	COCO35A	COCO35A			●
	6060 T5	6.5	183	0.46	COCO50	MILL	●	●	●
					COSMCOV50	SURFMIST	●	●	
	6060 T5	6.5	261	0.84	COCO75	MILL	●	●	●
					COSMCOV75	SURFMIST	●	●	
	6060 T5	6.5	100	0.24	T402016	MILL	●	●	●
	6060 T5	6.5	160	0.34	T4016	MILL	●	●	●
					TSM4016	SURFMIST	●		
	6060 T5	6.5	309	0.62	COI50	MILL	●	●	●
					COSMI50	SURFMIST	●	●	

Other sizes and variations may be available – contact your nearest branch for assistance.



Coolroom

DIAGRAM	ALLOY TEMPER	LENGTH METRE	ANOD PER	MASS KG/M	PRODUCT CODE	PRODUCT FINISH	STATE		
							V	N	Q
	6060 T5	6.5	205	0.44	COJAMB50	MILL	●	●	●
					COSMJAMB50	SURFMIST	●	●	
	6060 T5	6.5	302	0.611	COJAMB75	MILL	●	●	
					COSMJAMB75	SURFMIST	●	●	
	6060 T5	6.5	302	1.64	COJTRACK	MILL	●	●	
					COSMJTRACK	SURFMIST	●	●	
	6060 T5	6.5	412	2.7	COLTRACK	MILL	●	●	
					COSMLTRACK	SURFMIST	●	●	
	6060 T5	6.5	192	0.81	SQTR5016	MILL	●		●
	6060 T5	6.5	192	0.91	SQTR5018	MILL	●	●	

Other sizes and variations may be available – contact your nearest branch for assistance.

